

## Acute Lymphocytic Leukemia

### Surgery

Lymph Node Removal (Dissection)

Splenectomy (Removal of Spleen)

### Chemo

6-Mercaptopurine (Purinethol®, 6-MP)

Alemtuzumab (Campath®)

Arsenic Trioxide (Trisenox®)

Bendamustine (Treanda®)

Bexarotene (Targretin®)

Bleomycin (Blenoxane®)

Bortezomib (Velcade®)

Bosutinib (Bosulif®)

Busulfan (Myleran®)

Carmustine (BCNU, BiCNU)

Chlorambucil (Leukeran®)

Cisplatin (Platinol®)

Cladribine (2-CDA, Leustatin®)

Cyclophosphamide (Cytoxan®, Neosar®)

Cytarabine (Cytosar-U®, Ara-C)

Dacarbazine (DTIC)

Dactinomycin (Cosmegen®)

Dasatinib (Sprycelt®)

Daunorubicin (Cerubidine®, daunomycin)

Dexamethasone (decadron)

Doxorubicin (Adriamycin®, Rubex®)

Epirubicin (Ellence®, Pharmorubicin®)

Etoposide (VePesid®, VP-16)

Fludarabine (Fludara®)

Gemcitabine (Gemzar®)

Gemtuzumab ozogamicin (Myelotarg®)

Hydroxyurea (Hydrea®)

Idarubicin (Idamycin®)

Ifosfamide (IFEX®)

Imatinib (Gleevec , STI-571)

Interferon Alpha (Intron-A®, Roferon-A®)

L-Asparaginase (Elspar®)

Lenalidomide (Revlimid®)

Mechlorethamine (Mustargen®, Nitrogen

Mustard)

Melphalan (Alkeran®, L-PAM)

Methotrexate (MTX)

Methylprednisolone (Solumedrol, Medrol)

Mitoxantrone (Novantrone®)

Nelarabine (Arranon®)

Nilotinib (Tasigna®)

PEG-Asparaginase

Prednisone (used as chemotherapy, doses > 20mg)

Procarbazine (Mutalane®)

Rituximab (Rituxan®)

Teniposide (Vumon®)

Thalidomide (Thalomid®)

Tretinoin (Vesanoid®, All-trans retinoic acid, ATRA)

Vinblastine (Velban®)

Vincristine (Oncovin®)

Vinorelbine (Navelbine®)

### Radiation

Radiation for metastasis to the bone

Radiation for metastasis to the brain or spinal cord

Total Body Irradiation

## Acute Myeloid Leukemia

### Surgery

Lymph Node Removal (Dissection)

Splenectomy (Removal of Spleen)

### Chemo

Arsenic Trioxide (Trisenox®)

Azacitidine (Vidaza®)

Bortezomib (Velcade®)

Busulfan (Myleran®)

Chlorambucil (Leukeran®)

Cladribine (2-CDA, Leustatin®)

Cyclophosphamide (Cytoxan®, Neosar®)

Cytarabine (Cytosar-U®, Ara-C)

Daunorubicin (Cerubidine®, daunomycin)

Decitabine (Dacogen®)

Doxorubicin (Adriamycin®, Rubex®)

Epirubicin (Ellence®, Pharmorubicin®)

Etoposide (VePesid®, VP-16)

Fludarabine (Fludara®)

Gemtuzumab ozogamicin (Mylotarg®)

Hydroxyurea (Hydrea®)

Idarubicin (Idamycin®)

Ifosfamide (IFEX®)

Lenalidomide (Revlimid®)

Melphalan (Alkeran®, L-PAM)

Mitoxantrone (Novantrone®)

Teniposide (Vumon®)

Tretinoin (Vesanoid®, All-trans retinoic acid,

ATRA)

### Radiation

Radiation for metastasis to the bone

Radiation for metastasis to the brain or spinal cord

Total Body Irradiation

## **Anal Cancer**

### **Surgery**

Lymph Node Removal (Dissection)

Permanent Colostomy or Ileostomy

Removal of a Section of the Bowel

Removal of the Bladder (cystectomy, bladder resection)

Surgery for Rectal or Anal Cancer

Surgery to Remove Female Reproductive Organs (hysterectomy, oophorectomy)

### **Chemo**

Bevacizumab (Avastin®)

Capecitabine (Xeloda®)

Cetuximab (Erbitux®)

Cisplatin (Platinol®)

Fluorouracil (Adrucil®, 5-FU)

Irinotecan (Camptosar®, CPT -11)

Mitomycin (Mitomycin C, Mutamycin)

Oxaliplatin (Eloxatin®)

Panitumumab (Vectibix®)

### **Radiation**

Radiation for metastasis to the bone

Radiation for metastasis to the brain or spinal cord

Radiation for metastasis to the lung

Radiation Treatment for colon, rectal or anal cancer

## Appendiceal Cancer

### Surgery

Lymph Node Removal (Dissection)

Removal of a Section of the Bowel

Surgery for Appendiceal Cancer (Removal of appendix / Appendectomy)

### Chemo

Bevacizumab (Avastin®)

Capecitabine (Xeloda®)

Cetuximab (Erbitux®)

Fluorouracil (Adrucil®, 5-FU)

Irinotecan (Camptosar®, CPT -11)

Oxaliplatin (Eloxatin®)

### Radiation

Radiation for metastasis to the bone

Radiation for metastasis to the lung

Radiation for metastasis to the lymph nodes

Radiation to the Liver

Radiation Treatment for Cancer of the Appendix

## Bladder Cancer

### Surgery

Lymph Node Removal (Dissection)

Permanent Colostomy or Ileostomy

Removal of the Bladder (cystectomy, bladder resection)

Removal of the Prostate (Prostatectomy)

Surgery to Remove Female Reproductive Organs (hysterectomy, oophorectomy)

### Radiation

Radiation Treatment for bladder cancer

### Chemo (Given IV)

Carboplatin (Paraplatin®)

Cisplatin (Platinol®)

Docetaxel (Taxotere®)

Doxorubicin (Adriamycin®, Rubex®)

Fluorouracil (Adrucil®, 5-FU)

Gemcitabine (Gemzar®)

Methotrexate (MTX)

Mitomycin (Mitomycin C, Mutamycin)

Paclitaxel (Taxol®)

Pemetrexed (Alimta®)

Vinblastine (Velban®)

### Therapy Given into the Bladder (Intravesicular)

Bacillus Calmette-Guérin (BCG, TICE®)

Doxorubicin (Adriamycin®, Rubex®, Doxil®)

Epirubicin (Ellence®, Pharmorubicin®)

Gemcitabine (Gemzar®)

Interferon Alpha (Intron-A®, Roferon-A®)

Mitomycin (Mitomycin C, Mutamycin)

Thiotepa (Thioplex®)

## **Brain Cancer**

### **Surgery**

Surgery Involving the Brain or Spinal Cord

### **Chemo**

Bevacizumab (Avastin®)

Carboplatin (Paraplatin®)

Carmustine (BCNU, BiCNU)

Cisplatin (Platinol®)

Dexamethasone (decadron)

Etoposide (VePesid®, VP-16)

Interferon Alpha (Intron-A®, Roferon-A®)

Irinotecan (Camptosar®, CPT -11)

Lomustine (CCNU, CeeNU®)

Pemetrexed (Alimta®)

Prednisone (used as chemotherapy, doses > 20mg)

Procarbazine (Mutalane®)

Temozolomide (Temodar®)

Topotecan (Hycamtin®)

Vincristine (Oncovin®)

### **Radiation**

Prophylactic Cranial Irradiation (PCI)

Radiation Treatment for brain and spinal cord tumors

# Breast Cancer

## Surgery

Lumpectomy

Lymph Node Removal (Dissection)

Lymph nodes taken from above the waist

Mastectomy

Sentinel Node Biopsy

## Chemo

Abraxane®

Ado-trastuzumab emtansine (Kadcyla™)

Bevacizumab (Avastin®)

Capecitabine (Xeloda®)

Carboplatin (Paraplatin®)

Cisplatin (Platinol®)

Cyclophosphamide (Cytoxan®, Neosar®)

Docetaxel (Taxotere®)

Doxil Liposome (Doxil®)

Doxorubicin (Adriamycin®, Rubex®)

Epirubicin (Ellence®, Pharmorubicin®)

Eribulin Mesylate (Halaven™)

Etoposide (VePesid®, VP-16)

Everolimus (Afinitor®)

Fluorouracil (Adrucil®, 5-FU)

Gemcitabine (Gemzar®)

Ixabepilone (Ixempra®)

Lapatinib (Tykerb®)

Methotrexate (MTX)

Paclitaxel (Taxol®)

Pertuzumab (Perjeta™)

Trastuzumab (Herceptin®)

Vinorelbine (Navelbine®)

## Radiation

Radiation Treatment for breast cancer after lumpectomy

Radiation Treatment for breast cancer after mastectomy

Radiation Treatment for Breast Cancer Using Partial Breast Irradiation (PBI, Mammosite®)

Radiation for metastases to the liver

Radiation for metastasis to the bone

Radiation for metastasis to the brain or spinal cord

Radiation for metastasis to the lung

Radiation for metastasis to the lymph nodes

Radiation to the skin (metastases or primary cancer)

## Hormone Therapy

Anastrozole (Arimidex®)

Exemestane (Aromasin®)

Fulvestrant (Faslodex®)

Letrozole (Femara®)

Leuprorelin (Lupron®, Eligard®, Viadur)

Megestrol acetate (Megace®)

Raloxifene (Evista®)

Tamoxifen (Nolvadex®)

Toremifene (Fareston®)

## Cervical Cancer

cervical, ovarian, fallopian or vulvar/ vaginal cancers)

### Surgery

Lymph Node Removal (Dissection)

Lymph nodes taken from below the waist

Permanent Colostomy or Ileostomy

Removal of a Section of the Bowel

Removal of the Bladder (cystectomy, bladder resection)

Surgery for ovarian, primary peritoneal, fallopian tube, endometrial/uterine and cervical cancers

### Chemo

Abraxane®

Bevacizumab (Avastin®)

Capecitabine (Xeloda®)

Carboplatin (Paraplatin®)

Cisplatin (Platinol®)

Docetaxel (Taxotere®)

Fluorouracil (Adrucil®, 5-FU)

Gemcitabine (Gemzar®)

Ifosfamide (IFEX®)

Irinotecan (Camptosar®, CPT -11)

Mitomycin (Mitomycin C, Mutamycin)

Paclitaxel (Taxol®)

Pemetrexed (Alimta®)

Topotecan (Hycamtin®)

Vinorelbine (Navelbine®)

### Radiation

Radiation for metastasis to the bone

Radiation for metastasis to the brain or spinal cord

Radiation for metastasis to the lung

Radiation for metastasis to the lymph nodes

Radiation Treatment for female reproductive tract (Radiation for endometrial, uterine,

## Chronic Lymphocytic Leukemia

Total Body Irradiation

### Surgery

Lymph Node Removal (Dissection)

Splenectomy (Removal of Spleen)

### Chemo

6-Mercaptopurine (Purinethol®, 6-MP)  
Alemtuzumab (Campath®)  
Bendamustine (Treanda®)  
Busulfan (Myleran®)  
Chlorambucil (Leukeran®)  
Cladribine (2-CDA, Leustatin®)  
Cyclophosphamide (Cytoxan®, Neosar®)  
Daunorubicin (Cerubidine®, daunomycin)  
Dexamethasone (decadron)  
Doxorubicin (Adriamycin®, Rubex®)  
Epirubicin (Ellence®, Pharmorubicin®)  
Fludarabine (Fludara®)  
Hydroxyurea (Hydrea®)  
Idarubicin (Idamycin®)  
L-Asparaginase (Elspar®)  
Lenalidomide (Revlimid®)  
Melphalan (Alkeran®, L-PAM)  
Mitoxantrone (Novantrone®)  
Obinutuzumab (Gazyva™)  
Ofatumumab (Arzerra™)  
Prednisone (used as chemotherapy, doses > 20mg)  
Rituximab (Rituxan®)  
Vincristine (Oncovin®)

### Radiation

Radiation for metastasis to the bone

Radiation for metastasis to the brain or spinal cord

Radiation Treatment for Hodgkin's disease ("Mantle Field")

Radiation Treatment for lymphoma (Radiation to chest/mediastinum/neck)

Radiation Treatment for lymphoma (Radiation to groin/abdomen)

## Chronic Myelogenous Leukemia

### Surgery

Lymph Node Removal (Dissection)

Splenectomy (Removal of Spleen)

### Chemo

6-Mercaptopurine (Purinethol®, 6-MP)  
Bosutinib (Bosulif®)  
Busulfan (Myleran®)  
Chlorambucil (Leukeran®)  
Cyclophosphamide (Cytoxan®, Neosar®)  
Cytarabine (Cytosar-U®, Ara-C)  
Dasatinib (Sprycelt®)  
Dexamethasone (decadron)  
Doxorubicin (Adriamycin®, Rubex®)  
Etoposide (VePesid®, VP-16)  
Hydroxyurea (Hydrea®)  
Idarubicin (Idamycin®)  
Ifosfamide (IFEX®)  
Imatinib (Gleevec , STI-571)  
Interferon Alpha (Intron-A®, Roferon-A®)  
Melphalan (Alkeran®, L-PAM)  
Methotrexate (MTX)  
Nilotinib (Tasigna®)  
Omacetaxine Mepesuccinate (Synribo™ )  
Thiotepa (Thioplex®)  
Vincristine (Oncovin®)

### Radiation

Radiation for metastasis to the brain or spinal cord

Total Body Irradiation

## Colon Cancer

### Surgery

Lung Resection

Lymph Node Removal (Dissection)

Lymph nodes taken from below the waist

Permanent Colostomy or Ileostomy

Removal of a Section of the Bowel

Removal of the Bladder (cystectomy, bladder resection)

Surgery for Rectal or Anal Cancer

Surgery to Remove Female Reproductive Organs (hysterectomy, oophorectomy)

### Chemo

Bevacizumab (Avastin®)

Capecitabine (Xeloda®)

Cetuximab (Erbitux®)

Fluorouracil (Adrucil®, 5-FU)

Irinotecan (Camptosar®, CPT -11)

Mitomycin (Mitomycin C, Mutamycin)

Oxaliplatin (Eloxatin®)

Panitumumab (Vectibix®)

Regorafenib (Stivarga®)

Ziv-Aflibercept (Zaltrap®)

### Radiation

Radiation for metastases to the liver

Radiation for metastasis to the bone

Radiation for metastasis to the brain or spinal cord

Radiation for metastasis to the lung

Radiation Treatment for colon, rectal or anal cancer

## Endometrial Cancer

### Surgery

Lymph Node Removal (Dissection)

Lymph nodes taken from below the waist

Permanent Colostomy or Ileostomy

Removal of a Section of the Bowel

Removal of the Bladder (cystectomy, bladder resection)

Surgery for ovarian, primary peritoneal, fallopian tube, endometrial/uterine and cervical cancers

Surgery for vaginal and vulvar cancers

### Chemo

Bevacizumab (Avastin®)

Carboplatin (Paraplatin®)

Cisplatin (Platinol®)

Dacarbazine (DTIC)

Docetaxel (Taxotere®)

Doxil Liposome (Doxil®)

Doxorubicin (Adriamycin®, Rubex®)

Epirubicin (Ellence®, Pharmorubicin®)

Gemcitabine (Gemzar®)

Ifosfamide (IFEX®)

Paclitaxel (Taxol®)

Pazopanib (Votrient™)

Temozolomide (Temodar®)

Tensirolimus (Torisel®)

Topotecan (Hycamtin®)

Vinorelbine (Navelbine®)

### Radiation

### Radiation

Radiation for metastasis to the bone

Radiation for metastasis to the brain or spinal cord

Radiation for metastasis to the lung

Radiation for metastasis to the lymph nodes

Radiation Treatment for female reproductive tract (Radiation for endometrial, uterine, cervical, ovarian, fallopian or vulvar/ vaginal cancers)

### Hormone Therapy

Anastrozole (Arimidex®)

Exemestane (Aromasin®)

Fulvestrant (Faslodex®)

Goserelin (Zoladex®)

Letrozole (Femara®)

Leuprolide (Lupron®, Eligard®, Viadur)

Megestrol acetate (Megace®)

Tamoxifen (Nolvadex®)

## Esophageal Cancer

### Surgery

Lymph Node Removal (Dissection)

Lymph nodes taken from above the waist

Other Surgeries Not Listed

Removal of the Esophagus (esophagectomy)

### Chemo

Capecitabine (Xeloda®)

Carboplatin (Paraplatin®)

Cisplatin (Platinol®)

Docetaxel (Taxotere®)

Epirubicin (Ellence®, Pharmorubicin®)

Erlotinib (Tarceva®)

Etoposide (VePesid®, VP-16)

Fluorouracil (Adrucil®, 5-FU)

Irinotecan (Camptosar®, CPT -11)

Mitomycin (Mitomycin C, Mutamycin)

Oxaliplatin (Eloxatin®)

Paclitaxel (Taxol®)

Trastuzumab (Herceptin®)

### Radiation

Radiation for metastasis to the bone

Radiation for metastasis to the lung

Radiation for metastasis to the lymph nodes

Radiation to the Liver

Radiation Treatment for esophageal cancer

## Fallopian Tube Cancer

### Surgery

Lymph Node Removal (Dissection)

Lymph nodes taken from below the waist

Other Surgeries Not Listed

Permanent Colostomy or Ileostomy

Removal of a Section of the Bowel

Removal of the Bladder (cystectomy, bladder resection)

Surgery for ovarian, primary peritoneal, fallopian tube, endometrial/uterine and cervical cancers

### Radiation

Radiation for metastasis to the bone

Radiation for metastasis to the brain or spinal cord

Radiation for metastasis to the lung

Radiation for metastasis to the lymph nodes

Radiation Treatment for female reproductive tract (Radiation for endometrial, uterine, cervical, ovarian, fallopian or vulvar/ vaginal cancers)

### Chemo

Abraxane®

Altretamine (Hexalen®, HMM)

Bevacizumab (Avastin®)

Capecitabine (Xeloda®)

Carboplatin (Paraplatin®)

Cisplatin (Platinol®)

Cyclophosphamide (Cytoxan®, Neosar®)

Docetaxel (Taxotere®)

Doxil Liposome (Doxil®)

Doxorubicin (Adriamycin®, Rubex®)

Etoposide (VePesid®, VP-16)

Gemcitabine (Gemzar®)

Ifosfamide (IFEX®)

Irinotecan (Camptosar®, CPT -11)

Melphalan (Alkeran®, L-PAM)

Oxaliplatin (Eloxatin®)

Paclitaxel (Taxol®)

Pemetrexed (Alimta®)

Topotecan (Hycamtin®)

Vinorelbine (Navelbine®)

### Hormone Therapy

Anastrozole (Arimidex®)

Letrozole (Femara®)

Leuprolide (Lupron®, Eligard®, Viadur)

Megestrol acetate (Megace®)

Tamoxifen (Nolvadex®)

## Gall Bladder / Cholangiocarcinoma

### Surgery

Liver Resection

Lymph Node Removal (Dissection)

Removal of a Section of the Bowel

Surgery for Gall Bladder Cancer (gall bladder removal / cholecystectomy)

### Chemo

Cisplatin (Platinol®)

Docetaxel (Taxotere®)

Erlotinib (Tarceva®)

Fluorouracil (Adrucil®, 5-FU)

Gemcitabine (Gemzar®)

Oxaliplatin (Eloxatin®)

### Radiation

Radiation for metastasis to the bone

Radiation for metastasis to the lung

Radiation for metastasis to the lymph nodes

Radiation to the Liver

Radiation Treatment for biliary cancer (radiation to gallbladder, pancreas, or ampulla of vader)

## **Head & Neck: Tongue, Lip, Oropharynx, Nasopharynx**

### **Surgery**

Head and Neck Surgeries

Laryngectomy

Lymph Node Removal (Dissection)

Lymph nodes taken from above the waist

Removal of the Thyroid (thyroidectomy)

### **Chemo**

Bleomycin (Blenoxane®)  
Capecitabine (Xeloda®)  
Carboplatin (Paraplatin®)  
Cetuximab (Erbitux®)  
Cisplatin (Platinol®)  
Docetaxel (Taxotere®)  
Epirubicin (Ellence®, Pharmorubicin®)  
Fluorouracil (Adrucil®, 5-FU)  
Gemcitabine (Gemzar®)  
Hydroxyurea (Hydrea®)  
Ifosfamide (IFEX®)  
Methotrexate (MTX)  
Paclitaxel (Taxol®)  
Vinorelbine (Navelbine®)

### **Radiation**

Radiation for metastasis to the bone

Radiation for metastasis to the lung

Radiation for metastasis to the lymph nodes

Radiation to the skin (metastases or primary cancer)

Radiation Treatment for head and neck cancers

## Hodgkin's Disease

### Surgery

Lymph Node Removal (Dissection)

Lymph nodes taken from above & below the waist

Lymph nodes taken from above the waist

Lymph nodes taken from below the waist

Splenectomy (Removal of Spleen)

Uncertain if lymph nodes were above or below the waist

### Chemo

Bendamustine (Treanda®)

Bleomycin (Blenoxane®)

Brentuximab Vedotin (Adcetris™ , SGN-35)

Carmustine (BCNU, BiCNU)

Cisplatin (Platinol®)

Cyclophosphamide (Cytoxan®, Neosar®)

Cytarabine (Cytosar-U®, Ara-C)

Dacarbazine (DTIC)

Dexamethasone (decadron)

Doxil Liposome (Doxil®)

Doxorubicin (Adriamycin®, Rubex®)

Etoposide (VePesid®, VP-16)

Gemcitabine (Gemzar®)

Ifosfamide (IFEX®)

Lenalidomide (Revlimid®)

Mechlorethamine (Mustargen®, Nitrogen Mustard)

Melphalan (Alkeran®, L-PAM)

Methylprednisolone (Solumedrol, Medrol)

Mitoxantrone (Novantrone®)

Prednisone (used as chemotherapy, doses > 20mg)

Procarbazine (Mutalane®)

Rituximab (Rituxan®)

Teniposide (Vumon®)

Vinblastine (Velban®)

Vincristine (Oncovin®)

### Radiation

Radiation for metastasis to the brain or spinal cord

Radiation to the Spleen

Radiation Treatment for Hodgkin's disease ("Mantle Field")

Radiation Treatment for lymphoma (Radiation to groin/abdomen)

Total Body Irradiation

## Kidney Cancer

### Surgery

Lymph Node Removal (Dissection)

Removal of the Kidney (Full or Partial Nephrectomy)

### Chemo

Axitinib (Inlyta®)

Bevacizumab (Avastin®)

Doxorubicin (Adriamycin®, Rubex®)

Erlotinib (Tarceva®)

Everolimus (Afinitor®)

Interleukin-2 (IL-2, Aldesleukin, Proleukin®)

Pazopanib (Votrient™ )

Sorafenib (Nexavar®)

Sunitinib malate (Sutent®)

Temsirolimus (Torisel®)

### Radiation

Radiation for metastasis to the bone

Radiation for metastasis to the brain or spinal cord

Radiation for metastasis to the lung

Radiation to the Kidney

## Liver Cancer

### Surgery

Liver Resection

Lymph Node Removal (Dissection)

### Chemo

Bevacizumab (Avastin®)

Cisplatin (Platinol®)

Doxorubicin (Adriamycin®, Rubex®)

Fluorouracil (Adrucil®, 5-FU)

Gemcitabine (Gemzar®)

Interferon Alpha (Intron-A®, Roferon-A®)

Oxaliplatin (Eloxatin®)

Sorafenib (Nexavar®)

Sunitinib malate (Sutent®)

### Radiation

Radiation for metastasis to the lung

Radiation for metastasis to the lymph nodes

Radiation to the Liver

## Lung Cancer

### Surgery

Lung Resection

### Chemo

Abraxane®

Afatinib (Gilotrif®)

Bevacizumab (Avastin®)

Carboplatin (Paraplatin®)

Cetuximab (Erbitux®)

Cisplatin (Platinol®)

Crizotinib (Xalkori®)

Docetaxel (Taxotere®)

Erlotinib (Tarceva®)

Etoposide (VePesid®, VP-16)

Gemcitabine (Gemzar®)

Ifosfamide (IFEX®)

Irinotecan (Camptosar®, CPT -11)

Mitomycin (Mitomycin C, Mutamycin)

Paclitaxel (Taxol®)

Pemetrexed (Alimta®)

Topotecan (Hycamtin®)

Vinblastine (Velban®)

Vinorelbine (Navelbine®)

### Radiation

Prophylactic Cranial Irradiation (PCI)

Radiation for metastases to the liver

Radiation for metastasis to the bone

Radiation for metastasis to the brain or spinal cord

Radiation for metastasis to the lymph nodes

Radiation Treatment for Lung Cancer

## Lymphoma

### Surgery

Lymph Node Removal (Dissection)  
 Lymph nodes taken from above & below the waist  
 Lymph nodes taken from above the waist  
 Lymph nodes taken from below the waist  
 Splenectomy (Removal of Spleen)

### Chemo

6-Mercaptopurine (Purinethol®, 6-MP)  
 Alemtuzumab (Campath®)  
 Bendamustine (Treanda®)  
 Bexarotene (Targretin®)  
 Bleomycin (Blenoxane®)  
 Bortezomib (Velcade®)  
 Brentuximab Vedotin (Adcetris™, SGN-35)  
 Busulfan (Myleran®)  
 Carmustine (BCNU, BiCNU)  
 Chlorambucil (Leukeran®)  
 Cisplatin (Platinol®)  
 Cladribine (2-CDA, Leustatin®)  
 Cyclophosphamide (Cytoxan®, Neosar®)  
 Cytarabine (Cytosar-U®, Ara-C)  
 Daunorubicin (Cerubidine®, daunomycin)  
 Dexamethasone (decadron)  
 Doxil Liposome (Doxil®)  
 Doxorubicin (Adriamycin®, Rubex®)  
 Epirubicin (Ellence®, Pharmorubicin®)  
 Etoposide (VePesid®, VP-16)  
 Fludarabine (Fludara®)  
 Gemcitabine (Gemzar®)  
 Gemtuzumab ozogamicin (Myelotarg®)  
 Ibritumomab tiuxetan (Zevalin®)  
 Ibrutinib (Imbruvica®)  
 Ifosfamide (IFEX®)  
 Imatinib (Gleevec , STI-571)  
 Interferon Alpha (Intron-A®, Roferon-A®)  
 Isotretinoin (Accutane®)  
 L-Asparaginase (Elspar®)  
 Lenalidomide (Revlimid®)  
 Mechlorethamine (Mustargen®, Nitrogen Mustard)  
 Melphalan (Alkeran®, L-PAM)

Methotrexate (MTX)  
 Methylprednisolone (Solumedrol, Medrol)  
 Mitoxantrone (Novantrone®)  
 Nilotinib (Tasigna®)  
 Obinutuzumab (Gazyva™)  
 Ofatumumab (Arzerra™)  
 Oxaliplatin (Eloxatin®)  
 PEG-Asparaginase  
 Pralatrexate (Folotyn®)  
 Prednisone (used as chemotherapy, doses > 20mg)  
 Procarbazine (Mutalane®)  
 Rituximab (Rituxan®)  
 Romidepsin (Istodax®)  
 Teniposide (Vumon®)  
 Tositumomab (Bexxar®)  
 Tretinoin (Vesanoid®, All-trans retinoic acid, ATRA)  
 Vinblastine (Velban®)  
 Vincristine (Oncovin®)  
 Vorinostat (Zolinza™, suberoylanilide hydroxamic acid, SAHA)

### Radiation

Radiation for metastasis to the brain or spinal cord

Radiation Treatment for lymphoma (Radiation to chest/mediastinum/neck)

Radiation Treatment for lymphoma (Radiation to groin/abdomen)

Total Body Irradiation

## Melanoma

### Surgery

Isolated Limb Perfusion (ILP) / Isolated Limb Infusion (ILI)

Lymph Node Removal (Dissection)

Lymph nodes taken from above & below the waist

Lymph nodes taken from above the waist

Lymph nodes taken from below the waist

Melanoma Excision or Moh's Surgery

Sentinel Node Biopsy

### Chemo

Abraxane®

Carboplatin (Paraplatin®)

Carmustine (BCNU, BiCNU)

Cisplatin (Platinol®)

Dabrafenib (Tafinlar™)

Dacarbazine (DTIC)

Interferon Alpha (Intron-A®, Roferon-A®)

Interleukin-2 (IL-2, Aldesleukin, Proleukin®)

Ipilimumab (Yervoy™)

Megestrol acetate (Megace®)

Melphalan (Alkeran®, L-PAM)

Paclitaxel (Taxol®)

Temozolomide (Temodar®)

Trametinib (Mekinist™)

Vemurafenib (Zelboraf®, PLX4032)

Vinblastine (Velban®)

Radiation for metastasis to the lymph nodes

Radiation to the skin (metastases or primary cancer)

Radiation for metastases to the liver

Radiation for metastasis to the bone

Radiation for metastasis to the brain or spinal cord

Radiation for metastasis to the lung

### Hormone Therapy

Tamoxifen (Nolvadex®)

### Radiation

Radiation for metastases to the liver

Radiation for metastasis to the bone

Radiation for metastasis to the brain or spinal cord

Radiation for metastasis to the lung

## Mesothelioma

### Surgery

Lung Resection

Surgery for Mesothelioma

### Chemo

Carboplatin (Paraplatin®)

Cisplatin (Platinol®)

Docetaxel (Taxotere®)

Doxorubicin (Adriamycin®, Rubex®)

Fludarabine (Fludara®)

Gemcitabine (Gemzar®)

Methotrexate (MTX)

Paclitaxel (Taxol®)

Pemetrexed (Alimta®)

Vincristine (Oncovin®)

Vinorelbine (Navelbine®)

Vorinostat (Zolinza™ , suberoylanilide hydroxamic acid, SAHA)

### Radiation

Radiation for metastasis to the bone

Radiation for metastasis to the brain or spinal cord

Radiation for metastasis to the lung

Radiation for metastasis to the lymph nodes

Radiation Treatment for mesothelioma

## Multiple Myeloma

### Surgery

Lymph Node Removal (Dissection)

Splenectomy (Removal of Spleen)

### Chemo

Bendamustine (Treanda®)

Bortezomib (Velcade®)

Busulfan (Myleran®)

Carfilzomib (Kyprolis™)

Cyclophosphamide (Cytoxan®, Neosar®)

Dexamethasone (decadron)

Doxil Liposome (Doxil®)

Doxorubicin (Adriamycin®, Rubex®)

Etoposide (VePesid®, VP-16)

Interferon Alpha (Intron-A®, Roferon-A®)

Lenalidomide (Revlimid®)

Melphalan (Alkeran®, L-PAM)

Methylprednisolone (Solumedrol, Medrol)

Prednisone (used as chemotherapy, doses > 20mg)

Thalidomide (Thalomid®)

Vincristine (Oncovin®)

Vorinostat (Zolinza™, suberoylanilide hydroxamic acid, SAHA)

### Radiation

Radiation for metastasis to the bone

Radiation for metastasis to the brain or spinal cord

Total Body Irradiation

## **Myelodysplastic Syndrome (MDS)**

### **Surgery**

Lymph Node Removal (Dissection)

### **Chemo**

Arsenic Trioxide (Trisenox®)

Azacitidine (Vidaza®)

Cyclophosphamide (Cytoxan®, Neosar®)

Cytarabine (Cytosar-U®, Ara-C)

Decitabine (Dacogen®)

Doxorubicin (Adriamycin®, Rubex®)

Epirubicin (Ellence®, Pharmorubicin®)

Idarubicin (Idamycin®)

Isotretinoin (Accutane®)

Lenalidomide (Revlimid®)

Melphalan (Alkeran®, L-PAM)

Topotecan (Hycamtin®)

### **Radiation**

Total Body Irradiation

## Non-Melanoma Skin Cancers

### Surgery

Lymph Node Removal (Dissection)

Lymph nodes taken from above & below the waist

Lymph nodes taken from above the waist

Lymph nodes taken from below the waist

Melanoma Excision or Moh's Surgery

Sentinel Node Biopsy

### Chemo

Cisplatin (Platinol®)

Fluorouracil / 5-FU (Topical Cream)

Interferon Alpha (Intron-A®, Roferon-A®)

Isotretinoin (Accutane®)

### Radiation

Radiation to the skin (metastases or primary cancer)

## Ovarian Cancer / Primary Peritoneal Cancer

### Surgery

Lymph Node Removal (Dissection)

Lymph nodes taken from below the waist

Permanent Colostomy or Ileostomy

Removal of a Section of the Bowel

Removal of the Bladder (cystectomy, bladder resection)

Surgery for ovarian, primary peritoneal, fallopian tube, endometrial/uterine and cervical cancers

### Chemo

- Abraxane®
- Altretamine (Hexalen®, HMM)
- Bevacizumab (Avastin®)
- Capecitabine (Xeloda®)
- Carboplatin (Paraplatin®)
- Cisplatin (Platinol®)
- Cyclophosphamide (Cytoxan®, Neosar®)
- Dactinomycin (Cosmegen®)
- Docetaxel (Taxotere®)
- Doxil Liposome (Doxil®)
- Doxorubicin (Adriamycin®, Rubex®)
- Etoposide (VePesid®, VP-16)
- Gemcitabine (Gemzar®)
- Ifosfamide (IFEX®)
- Irinotecan (Camptosar®, CPT -11)
- Melphalan (Alkeran®, L-PAM)
- Oxaliplatin (Eloxatin®)
- Paclitaxel (Taxol®)
- Pemetrexed (Alimta®)
- Topotecan (Hycamtin®)
- Vinblastine (Velban®)
- Vincristine (Oncovin®)
- Vinorelbine (Navelbine®)

### Radiation

Radiation for metastasis to the bone

Radiation for metastasis to the brain or spinal cord

Radiation for metastasis to the lung

Radiation for metastasis to the lymph nodes

Radiation Treatment for female reproductive tract (Radiation for endometrial, uterine, cervical, ovarian, fallopian or vulvar/ vaginal cancers)

### Hormone Therapy

- Anastrozole (Arimidex®)
- Letrozole (Femara®)
- Leuprolide (Lupron®, Eligard®, Viadur)
- Megestrol acetate (Megace®)
- Tamoxifen (Nolvadex®)

## Pancreatic Cancer

### Surgery

Lymph Node Removal (Dissection)

Whipple Procedure (pancreatectomy)

### Chemo

Abraxane®

Capecitabine (Xeloda®)

Docetaxel (Taxotere®)

Erlotinib (Tarceva®)

Fluorouracil (Adrucil®, 5-FU)

Gemcitabine (Gemzar®)

Irinotecan (Camptosar®, CPT -11)

Oxaliplatin (Eloxatin®)

### Radiation

Radiation for metastasis to the lung

Radiation for metastasis to the lymph nodes

Radiation to the Liver

Radiation Treatment for biliary cancer (radiation to gallbladder, pancreas, or ampulla of vader)

## Penile Cancer

### Surgery

Lymph Node Removal (Dissection)

Lymph nodes taken from below the waist

Surgery for Penile Cancer (Moh's surgery/full or partial penectomy / Removal of the penis)

### Chemo

Bleomycin (Blenoxane®)

Cisplatin (Platinol®)

Docetaxel (Taxotere®)

Fluorouracil / 5-FU (Topical Cream)

Ifosfamide (IFEX®)

Methotrexate (MTX)

Mitomycin (Mitomycin C, Mutamycin)

Paclitaxel (Taxol®)

Panitumumab (Vectibix®)

### Radiation

Radiation for metastasis to the lymph nodes

Radiation Treatment for Penile Cancer

## Prostate Cancer

### Surgery

Lymph Node Removal (Dissection)

Lymph nodes taken from below the waist

Removal of the Prostate (Prostatectomy)

### Chemo

Abiraterone acetate (Zytiga)

Bicalutamide (Casodex®)

Cabazitaxel (Jevtana™)

Degarelix (Firmagon)

Dexamethasone (decadron)

Docetaxel (Taxotere®)

Enzalutamide (Xtandi®)

Flutamide (Eulexin®)

Goserelin (Zoladex®)

Leuprolide (Lupron®, Eligard®, Viadur)

Mitoxantrone (Novantrone®)

Nilutamide (Nilandron®)

Prednisone (used as chemotherapy, doses > 20mg)

Sipuleucel-T (Provenge™ )

Triptorelin (Trelstar®)

### Radiation

Radiation for metastasis to the bone

Radiation for metastasis to the lung

Radiation for metastasis to the lymph nodes

Radiation Treatment for prostate cancer

## Rectal Cancer

### Surgery

Lung Resection

Lymph Node Removal (Dissection)

Lymph nodes taken from below the waist

Permanent Colostomy or Ileostomy

Removal of a Section of the Bowel

Removal of the Bladder (cystectomy, bladder resection)

Surgery for Rectal or Anal Cancer

Surgery to Remove Female Reproductive Organs (hysterectomy, oophorectomy)

### Chemo

Bevacizumab (Avastin®)

Capecitabine (Xeloda®)

Cetuximab (Erbitux®)

Fluorouracil (Adrucil®, 5-FU)

Irinotecan (Camptosar®, CPT -11)

Mitomycin (Mitomycin C, Mutamycin)

Oxaliplatin (Eloxatin®)

Panitumumab (Vectibix®)

Regorafenib (Stivarga®)

Ziv-Aflibercept (Zaltrap®)

### Radiation

Radiation for metastasis to the bone

Radiation for metastasis to the brain or spinal cord

Radiation for metastasis to the lung

Radiation Treatment for colon, rectal or anal cancer

## Sarcoma

### Surgery

Amputation (Removal of a Limb)

Isolated Limb Perfusion (ILP) / Isolated Limb Infusion (ILI)

Lung Resection

Lymph Node Removal (Dissection)

Removal of a Section of the Bowel

Surgery to Remove the Stomach (Gastrectomy)

### Chemo

Bevacizumab (Avastin®)

Crizotinib (Xalkori®)

Cyclophosphamide (Cytoxan®, Neosar®)

Dacarbazine (DTIC)

Dactinomycin (Cosmegen®)

Dasatinib (Sprycelt®)

Docetaxel (Taxotere®)

Doxil Liposome (Doxil®)

Doxorubicin (Adriamycin®, Rubex®)

Epirubicin (Ellence®, Pharmorubicin®)

Etoposide (VePesid®, VP-16)

Everolimus (Afinitor®)

Gemcitabine (Gemzar®)

Ifosfamide (IFEX®)

Imatinib (Gleevec , STI-571)

Methotrexate (MTX)

Nilotinib (Tasigna®)

Paclitaxel (Taxol®)

Pazopanib (Votrient™ )

Regorafenib (Stivarga®)

Sorafenib (Nexavar®)

Sunitinib malate (Sutent®)

Temozolomide (Temodar®)

Topotecan (Hycamtin®)

Vinblastine (Velban®)

Vincristine (Oncovin®)

Vinorelbine (Navelbine®)

### Radiation

Radiation for metastasis to the bone

Radiation for metastasis to the lung

Radiation for metastasis to the lymph nodes

Radiation Treatment for sarcomas (chest and chest Wall)

Radiation Treatment for sarcomas (retroperitoneal and abdominal)

Radiation Treatment for sarcomas of the extremity (arm/leg)

## Stomach Cancer

### Surgery

Lymph Node Removal (Dissection)

Surgery to Remove the Stomach (Gastrectomy)

### Chemo

Capecitabine (Xeloda®)

Carboplatin (Paraplatin®)

Cetuximab (Erbitux®)

Cisplatin (Platinol®)

Docetaxel (Taxotere®)

Doxil Liposome (Doxil®)

Epirubicin (Ellence®, Pharmorubicin®)

Erlotinib (Tarceva®)

Etoposide (VePesid®, VP-16)

Fluorouracil (Adrucil®, 5-FU)

Gemcitabine (Gemzar®)

Irinotecan (Camptosar®, CPT -11)

Mitomycin (Mitomycin C, Mutamycin)

Oxaliplatin (Eloxatin®)

Paclitaxel (Taxol®)

Ramucirumab (Cyramza™ )

Trastuzumab (Herceptin®)

### Radiation

Radiation for metastasis to the lung

Radiation for metastasis to the lymph nodes

Radiation to the Liver

Radiation Treatment for gastric (stomach) cancer

## Testicular Cancer

### Surgery

Removal of the Testicle(s) (Orchiectomy)

Retroperitoneal Lymph Node Dissection  
(RPLND) for Testicular Cancer

### Chemo

Bleomycin (Blenoxane®)

Carboplatin (Paraplatin®)

Cisplatin (Platinol®)

Cyclophosphamide (Cytoxan®, Neosar®)

Etoposide (VePesid®, VP-16)

Gemcitabine (Gemzar®)

Ifosfamide (IFEX®)

Oxaliplatin (Eloxatin®)

Paclitaxel (Taxol®)

Vinblastine (Velban®)

### Radiation

Radiation for metastasis to the bone

Radiation for metastasis to the brain or spinal cord

Radiation for metastasis to the lung

Radiation for metastasis to the lymph nodes

Radiation Treatment for testicular cancer

## Thymoma or Thymic Carcinoma

### Surgery

Lung Resection

Lymph Node Removal (Dissection)

Lymph nodes taken from above the waist

Surgery for Thymoma or Thymic Carcinoma

### Chemo

Cisplatin (Platinol®)

Cyclophosphamide (Cytoxan®, Neosar®)

Doxorubicin (Adriamycin®, Rubex®)

Etoposide (VePesid®, VP-16)

Fluorouracil (Adrucil®, 5-FU)

Gemcitabine (Gemzar®)

Ifosfamide (IFEX®)

Paclitaxel (Taxol®)

Pemetrexed (Alimta®)

Prednisone (used as chemotherapy, doses > 20mg)

Vincristine (Oncovin®)

### Radiation

Radiation for metastasis to the lymph nodes

Radiation Treatment for Thymoma or Thymic Carcinoma

## Thyroid Cancer

### Surgery

Lymph Node Removal (Dissection)

Removal of the Thyroid (thyroidectomy)

### Chemo

Cabozantinib (Cometriq®)

Carboplatin (Paraplatin®)

Cisplatin (Platinol®)

Dacarbazine (DTIC)

Doxorubicin (Adriamycin®, Rubex®)

Paclitaxel (Taxol®)

Pazopanib (Votrient™ )

Sorafenib (Nexavar®)

Sunitinib malate (Sutent®)

Vandetanib (Caprelsa)

### Radiation

Radiation for metastasis to the lymph nodes

Radiation Treatment for Thyroid Cancer

## Uterine cancer

### Surgery

Lymph Node Removal (Dissection)

Lymph nodes taken from above & below the waist

Lymph nodes taken from below the waist

Permanent Colostomy or Ileostomy

Removal of a Section of the Bowel

Removal of the Bladder (cystectomy, bladder resection)

Surgery for ovarian, primary peritoneal, fallopian tube, endometrial/uterine and cervical cancers

### Chemo

Bevacizumab (Avastin®)

Carboplatin (Paraplatin®)

Cisplatin (Platinol®)

Dacarbazine (DTIC)

Docetaxel (Taxotere®)

Doxil Liposome (Doxil®)

Doxorubicin (Adriamycin®, Rubex®)

Epirubicin (Ellence®, Pharmorubicin®)

Gemcitabine (Gemzar®)

Ifosfamide (IFEX®)

Oxaliplatin (Eloxatin®)

Paclitaxel (Taxol®)

Pazopanib (Votrient™)

Temozolomide (Temodar®)

Temsirolimus (Torisel®)

Topotecan (Hycamtin®)

Vinorelbine (Navelbine®)

### Radiation

Radiation for metastasis to the bone

Radiation for metastasis to the brain or spinal cord

Radiation for metastasis to the lung

Radiation for metastasis to the lymph nodes

Radiation Treatment for female reproductive tract (Radiation for endometrial, uterine, cervical, ovarian, fallopian or vulvar/ vaginal cancers)

### Hormone Therapy

Anastrozole (Arimidex®)

Exemestane (Aromasin®)

Fulvestrant (Faslodex®)

Goserelin (Zoladex®)

Letrozole (Femara®)

Leuprolide (Lupron®, Eligard®, Viadur)

Megestrol acetate (Megace®)

Tamoxifen (Nolvadex®)

## Vaginal and Vulvar Cancers

### Surgery

Lymph Node Removal (Dissection)

Lymph nodes taken from above & below the waist

Lymph nodes taken from below the waist

Removal of a Section of the Bowel

Removal of the Bladder (cystectomy, bladder resection)

Surgery for ovarian, primary peritoneal, fallopian tube, endometrial/uterine and cervical cancers

Surgery for vaginal and vulvar cancers

### Chemo

Bleomycin (Blenoxane®)

Capecitabine (Xeloda®)

Carboplatin (Paraplatin®)

Cisplatin (Platinol®)

Erlotinib (Tarceva®)

Fluorouracil (Adrucil®, 5-FU)

Gemcitabine (Gemzar®)

Mitomycin (Mitomycin C, Mutamycin)

Paclitaxel (Taxol®)

Topotecan (Hycamtin®)

### Radiation

Radiation for metastasis to the bone

Radiation for metastasis to the brain or spinal cord

Radiation for metastasis to the lung

Radiation for metastasis to the lymph nodes

Radiation Treatment for female reproductive tract (Radiation for endometrial, uterine, cervical, ovarian, fallopian or vulvar/ vaginal cancers)